



## SAFETY DATA SHEET

### DC1 - NO-CLEAN FLUX REMOVER - VERICLEAN, AEROSOL

According to Appendix D, OSHA Hazard Communication Standard 29 CFR §1910.1200

#### 1. Identification

##### Product identifier

**Product name** DC1 - NO-CLEAN FLUX REMOVER - VERICLEAN, AEROSOL

**Product number** MCC-DC1101, MCC-DC1105, MCC-DC1, MCC-DC110Y, MCC-DC115A

**Synonyms; trade names** "DC1 - VeriClean Defluxer/Degreaser, Plastic Safe"

##### Recommended use of the chemical and restrictions on use

**Application** Cleaning agent.

##### Details of the supplier of the safety data sheet

**Supplier** MICROCARE CORPORATION

**Manufacturer** MICROCARE CORPORATION  
595 John Downey Drive  
New Britain, CT 06051  
United States of America  
CAGE: OATV9  
Tel: + 1 800 638 0125, +1 860-827-0626  
Fax: +1 860-827-8105  
techsupport@microcare.com

##### Emergency telephone number

**Emergency telephone** CHEMTREC 1-800-424-9300 (within the U.S.)  
+1 703-741-5970 (from anywhere in the world)

#### 2. Hazard(s) identification

##### Classification of the substance or mixture

**OSHA Regulatory Status** This Product is Hazardous under the OSHA Hazard Communication Standard.

**Physical hazards** Flam. Aerosol 1 - H222

**Health hazards** Not Classified

**Human health** Splashes in the eyes may cause redness and irritation. Keep out of the reach of children. See Section 11 for additional information on health hazards.

**Physicochemical** Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

##### Label elements

##### Pictogram



**DC1 - NO-CLEAN FLUX REMOVER - VERICLEAN, AEROSOL**

<b>Signal word</b>	Danger
<b>Hazard statements</b>	H222 Extremely flammable aerosol.
<b>Precautionary statements</b>	P210 Keep away from heat, sparks, open flames and hot surfaces. No smoking. P211 Do not spray on an open flame or other ignition source. P251 Pressurized container: Do not pierce or burn, even after use P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. P501 Dispose of contents/ container in accordance with national regulations.
<b>Supplemental label information</b>	Safety data sheet available on request. For use in industrial installations only.

**Other hazards**

This product does not contain any substances classified as PBT or vPvB.

**3. Composition/information on ingredients****Mixtures**

<b>HEXAMETHYLDISILOXANE (Methyl siloxane)</b>	<b>60-100%</b>
CAS number: 107-46-0	

**Classification**

Flam. Liq. 2 - H225  
Not relevant.

**HFC-134a Tetrafluoroethane****10-30%**

CAS number: 811-97-2

**Classification**

Press. Gas, Liquefied - H280

**1-METHOXY-2-PROPANOL****5-10%**

CAS number: 107-98-2

**Classification**

Flam. Liq. 3 - H226  
STOT SE 3 - H336

The full text for all hazard statements is displayed in Section 16.

<b>Composition comments</b>	TSCA: The ingredients of this product are on the TSCA Inventory. The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of CFR 1900.1200
-----------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

**Composition****4. First-aid measures****Description of first aid measures**

<b>General information</b>	Promptly remove any clothing that becomes wet or contaminated. Move affected person to fresh air at once. Get medical attention if any discomfort continues.
<b>Inhalation</b>	Move affected person to fresh air at once. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Keep affected person warm and at rest. Get medical attention immediately.

## DC1 - NO-CLEAN FLUX REMOVER - VERICLEAN, AEROSOL

<b>Ingestion</b>	Do not induce vomiting. Rinse mouth thoroughly with water. Give plenty of water to drink. Never give anything by mouth to an unconscious person. Consult a physician for specific advice.
<b>Skin Contact</b>	Remove contaminated clothing and rinse skin thoroughly with water. Get medical attention if irritation persists after washing.
<b>Eye contact</b>	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

### Most important symptoms and effects, both acute and delayed

<b>General information</b>	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
<b>Inhalation</b>	Vapors may cause headache, fatigue, dizziness and nausea.
<b>Ingestion</b>	May cause stomach pain or vomiting. Headache.
<b>Skin contact</b>	Prolonged or repeated contact with skin may cause irritation, redness and dermatitis.
<b>Eye contact</b>	Irritating to eyes. Symptoms following overexposure may include the following: Redness. Pain. Irritation and redness, followed by blurred vision.

### Indication of immediate medical attention and special treatment needed

<b>Notes for the doctor</b>	No specific recommendations. If in doubt, get medical attention promptly.
-----------------------------	---------------------------------------------------------------------------

## 5. Fire-fighting measures

### Extinguishing media

<b>Suitable extinguishing media</b>	Extinguish with the following media: Powder. Dry chemicals, sand, dolomite etc. Water spray, fog or mist.
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.

### Special hazards arising from the substance or mixture

<b>Specific hazards</b>	Containers can burst violently or explode when heated, due to excessive pressure build-up. Containers can burst violently or explode when heated, due to excessive pressure build-up. Oxides of carbon. Protection against nuisance dust must be used when the airborne concentration exceeds 10 mg/m <sup>3</sup> .
<b>Hazardous combustion products</b>	Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.
<b>Advice for firefighters</b>	
<b>Protective actions during firefighting</b>	Containers close to fire should be removed or cooled with water. Use water to keep fire exposed containers cool and disperse vapors. Bursting aerosol containers may be propelled from a fire at high speed.
<b>Special protective equipment for firefighters</b>	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

<b>Personal precautions</b>	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses.
-----------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

### Environmental precautions

## DC1 - NO-CLEAN FLUX REMOVER - VERICLEAN, AEROSOL

**Environmental precautions** Do not discharge into drains or watercourses or onto the ground.

### Methods and material for containment and cleaning up

**Methods for cleaning up** Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. If leakage cannot be stopped, evacuate area. Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation. Absorb in vermiculite, dry sand or earth and place into containers.

**Reference to other sections** See Section 11 for additional information on health hazards.

### 7. Handling and storage

#### Precautions for safe handling

**Usage precautions** Keep away from heat, sparks and open flame. Avoid spilling. Avoid contact with skin and eyes. Provide adequate ventilation. Avoid inhalation of vapors. Use approved respirator if air contamination is above an acceptable level.

#### Conditions for safe storage, including any incompatibilities

**Storage precautions** Aerosol cans: Must not be exposed to direct sunlight or temperatures above 50°C.

#### Specific end uses(s)

**Specific end use(s)** Cleaning agent.

**Reference to other sections.** Store away from incompatible materials (see Section 10).

### 8. Exposure Controls/personal protection

#### Control parameters

#### Occupational exposure limits

##### HFC-134a Tetrafluoroethane

Long-term exposure limit (8-hour TWA): OES 4240 mg/m<sup>3</sup>

##### 1-METHOXY-2-PROPANOL

Long-term exposure limit (8-hour TWA): ACGIH 50 ppm 184 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): ACGIH 100 ppm 369 mg/m<sup>3</sup>

A4

ACGIH = American Conference of Governmental Industrial Hygienists.

A4 = Not Classifiable as a Human Carcinogen.

#### **Additional Occupational Exposure Limits**

**Ingredient comments** WEL = Workplace Exposure Limits

#### Exposure controls

##### Protective equipment



##### **Appropriate engineering controls**

Provide adequate general and local exhaust ventilation.

## DC1 - NO-CLEAN FLUX REMOVER - VERICLEAN, AEROSOL

<b>Eye/face protection</b>	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses.
<b>Hand protection</b>	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Nitrile rubber. Polyvinyl alcohol (PVA). Viton rubber (fluoro rubber).
<b>Other skin and body protection</b>	Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapor contact.
<b>Hygiene measures</b>	Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or smoke.
<b>Respiratory protection</b>	No specific recommendations. Respiratory protection must be used if the airborne contamination exceeds the recommended occupational exposure limit.

### 9. Physical and Chemical Properties

#### Information on basic physical and chemical properties

<b>Appearance</b>	Liquid.
<b>Color</b>	Clear liquid. Colorless.
<b>Odor</b>	Slight. Ether.
<b>Odor threshold</b>	No information available.
<b>pH</b>	No information available.
<b>Melting point</b>	No information available.
<b>Initial boiling point and range</b>	98°C/210°F @ 101.3 kPa
<b>Flash point</b>	-4.0°C/24°F TCC (Tag closed cup).
<b>Evaporation rate</b>	No information available.
<b>Evaporation factor</b>	No information available.
<b>Flammability (solid, gas)</b>	No information available.
<b>Upper/lower flammability or explosive limits</b>	Upper flammable/explosive limit: 18.6 %(V) Lower flammable/explosive limit: 1.25 %(V)
<b>Other flammability</b>	No information available.
<b>Vapor pressure</b>	5.95 kPa @ 25°C
<b>Vapor density</b>	> 1.0
<b>Relative density</b>	0.88 @ unspecified°C
<b>Bulk density</b>	No information available.
<b>Solubility(ies)</b>	Insoluble in water.
<b>Partition coefficient</b>	No information available.
<b>Decomposition Temperature</b>	No information available.
<b>Viscosity</b>	No information available.
<b>Explosive properties</b>	No information available.

**DC1 - NO-CLEAN FLUX REMOVER - VERICLEAN, AEROSOL**

<b>Oxidizing properties</b>	There are no chemical groups present in the product that are associated with oxidizing properties.
<b>Comments</b>	Aerosol.
<b>Refractive index</b>	No information available.
<b>Particle size</b>	No information available.
<b>Molecular weight</b>	Not applicable.
<b>Volatility</b>	100%
<b>Saturation concentration</b>	No information available.
<b>Critical temperature</b>	No information available.
<b>Volatile organic compound</b>	This product contains a maximum VOC content of 87 g/litre.
<b>Flammability</b>	Flammable aerosol.

**10. Stability and reactivity**

<b>Reactivity</b>	There are no known reactivity hazards associated with this product.
<b>Stability</b>	Stable at normal ambient temperatures.
<b>Possibility of hazardous reactions</b>	Will not polymerize.
<b>Conditions to avoid</b>	Avoid heat, flames and other sources of ignition.
<b>Materials to avoid</b>	Strong oxidizing agents. Strong alkalis. Strong mineral acids.
<b>Hazardous decomposition products</b>	Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors. Vapors/gases/fumes of: Silicon dioxide Formaldehyde

**11. Toxicological information****Information on toxicological effects**

<b>Other health effects</b>	There is no evidence that the product can cause cancer.
<b>Inhalation</b>	May cause respiratory system irritation. Vapors may cause headache, fatigue, dizziness and nausea. Prolonged inhalation of high concentrations may damage respiratory system.
<b>Ingestion</b>	No harmful effects expected from quantities likely to be ingested by accident.
<b>Skin Contact</b>	Product has a defatting effect on skin. May cause skin irritation/eczema.
<b>Eye contact</b>	Irritating to eyes.

**Toxicological information on ingredients.****HEXAMETHYLDISILOXANE (Methyl siloxane)****Acute toxicity - inhalation**

**Acute toxicity inhalation** 106.0  
(LC<sub>50</sub> vapours mg/l)

**Species** Rat

**DC1 - NO-CLEAN FLUX REMOVER - VERICLEAN, AEROSOL****HFC-134a Tetrafluoroethane**

<b>Other health effects</b>	There is no evidence that the product can cause cancer.
<b><u>Acute toxicity - inhalation</u></b>	
<b>Acute toxicity inhalation (LC<sub>50</sub> gases ppmV)</b>	567,000.0
<b>Species</b>	Rat
<b>ATE inhalation (gases ppm)</b>	567,000.0
<b>Inhalation</b>	Vapors irritate the respiratory system. May cause coughing and difficulties in breathing.
<b>Ingestion</b>	May cause stomach pain or vomiting. May cause nausea, headache, dizziness and intoxication.
<b>Skin Contact</b>	May cause allergic contact eczema. Contact with liquid form may cause frostbite.
<b>Eye contact</b>	May cause temporary eye irritation.

**12. Ecological Information**

**Ecotoxicity** Not known.

**Toxicity** Very toxic to aquatic organisms.

**Ecological information on ingredients.****HEXAMETHYLDISILOXANE (Methyl siloxane)**

<b>Toxicity</b>	Very toxic to aquatic organisms.
<b>Acute toxicity - fish</b>	LC <sub>50</sub> , 96 hours: 0.46 mg/l mg/l, Fish
<b>Acute toxicity - aquatic invertebrates</b>	EC <sub>50</sub> , 72 hours: 0.79 mg/l, Daphnia magna
<b>Acute toxicity - aquatic plants</b>	EC <sub>50</sub> , 96 hours: > 0.93 mg/l, Selenastrum capricornutum

**HFC-134a Tetrafluoroethane**

<b>Acute toxicity - fish</b>	LC <sub>50</sub> , 96 hours: 450 mg/l, Fish
<b>Acute toxicity - aquatic invertebrates</b>	EC <sub>50</sub> , 48 hours: 980 mg/l, Daphnia magna

**Persistence and degradability**

**Persistence and degradability** The degradability of the product is not known.

**Bioaccumulative potential**

**Bio-Accumulative Potential** Bioaccumulation is unlikely to be significant because of the low water-solubility of this product.

**Partition coefficient** No information available.

**Ecological information on ingredients.**

**DC1 - NO-CLEAN FLUX REMOVER - VERICLEAN, AEROSOL****HFC-134a Tetrafluoroethane**

Partition coefficient Pow: 1.06

**Mobility in soil**

Mobility Not considered to be a significant hazard due to the small quantities used.

**Other adverse effects**

Other adverse effects The product contains a substance which has a photochemical ozone creation potential.

**13. Disposal considerations****Waste treatment methods**

General information Reuse or recycle products wherever possible.

Disposal methods Empty containers must not be punctured or incinerated because of the risk of an explosion. Reuse or recycle products wherever possible. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

**14. Transport information****UN Number**

UN No. (IMDG) 1950

UN No. (ICAO) 1950

**UN proper shipping name**

Proper shipping name (TDG) LIMITED QUANTITY

Proper shipping name (IMDG) UN1950, AEROSOLS, FLAMMABLE, 2.1, LIMITED QUANTITY

Proper shipping name (ICAO) UN1950, AEROSOLS, FLAMMABLE, 2.1, LIMITED QUANTITY

Proper shipping name (DOT) LIMITED QUANTITY

**Transport hazard class(es)**

IMDG Class 2.1 LIMITED QUANTITY

ICAO class/division 2.1 LIMITED QUANTITY

**Packing group**

TDG Packing Group N/A

IMDG packing group N/A

ICAO packing group N/A

DOT packing group N/A

**Environmental hazards**

Environmentally Hazardous Substance

**Special precautions for user**

EmS F-D, S-U



## DC1 - NO-CLEAN FLUX REMOVER - VERICLEAN, AEROSOL

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

### 15. Regulatory information

#### US Federal Regulations

##### SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities

Not listed.

##### CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

Not listed.

##### SARA Extremely Hazardous Substances EPCRA Reportable Quantities

Not listed.

##### SARA 313 Emission Reporting

Not listed.

##### CAA Accidental Release Prevention

Not listed.

##### SARA (311/312) Hazard Categories

Fire  
Pressure

##### OSHA Highly Hazardous Chemicals

Not listed.

#### US State Regulations

##### California Proposition 65 Carcinogens and Reproductive Toxins

Not listed.

##### California Air Toxics "Hot Spots" (A-I)

*1-METHOXY-2-PROPANOL*

Present.

##### California Air Toxics "Hot Spots" (A-II)

Not listed.

##### California Directors List of Hazardous Substances

*1-METHOXY-2-PROPANOL*

Present.

##### Massachusetts "Right To Know" List

*1-METHOXY-2-PROPANOL*

Present.

##### Rhode Island "Right To Know" List

*1-METHOXY-2-PROPANOL*

Present.

##### Minnesota "Right To Know" List

**DC1 - NO-CLEAN FLUX REMOVER - VERICLEAN, AEROSOL***HFC-134a Tetrafluoroethane*

Present.

*1-METHOXY-2-PROPANOL*

Present.

**New Jersey "Right To Know" List***1-METHOXY-2-PROPANOL*

Present.

**Pennsylvania "Right To Know" List***1-METHOXY-2-PROPANOL*

Present.

**Inventories****Canada - DSL/NDSL**

All the ingredients are listed or exempt.

**US - TSCA**

Yes

**16. Other information**

<b>Revision comments</b>	NOTE: Lines within the margin indicate significant changes from the previous revision.
<b>Revision date</b>	2/23/2018
<b>Revision</b>	63
<b>Supersedes date</b>	8/10/2017
<b>SDS No.</b>	AEROSOL - DC1
<b>SDS status</b>	Approved.
<b>Hazard statements in full</b>	H222 Extremely flammable aerosol. H225 Highly flammable liquid and vapor. H226 Flammable liquid and vapor. H280 Contains gas under pressure; may explode if heated. H336 May cause drowsiness or dizziness.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.