



## SAFETY DATA SHEET

### SPR - HEAVY DUTY FLUX REMOVER - SUPRCLEAN, AEROSOL

According to Appendix D, OSHA Hazard Communication Standard 29 CFR §1910.1200

#### 1. Identification

##### Product identifier

<b>Product name</b>	SPR - HEAVY DUTY FLUX REMOVER - SUPRCLEAN, AEROSOL
<b>Product number</b>	MCC-SPR, MCC-SPR19A, MCC-SPR12Y
<b>Synonyms; trade names</b>	"SPR - SUPRCLEAN Nonflammable Flux Remover"

##### Recommended use of the chemical and restrictions on use

<b>Application</b>	Cleaning agent.
<b>Uses advised against</b>	No specific uses advised against are identified.

##### Details of the supplier of the safety data sheet

<b>Supplier</b>	MICROCARE CORPORATION
<b>Manufacturer</b>	MICROCARE CORPORATION 595 John Downey Drive New Britain, CT 06051 United States of America CAGE: OATV9 Tel: + 1 800 638 0125, +1 860-827-0626 Fax: +1 860-893-1930 techsupport@microcare.com

##### Emergency telephone number

<b>Emergency telephone</b>	CHEMTREC 1-800-424-9300 (within the U.S.) +1 703-741-5970 (from anywhere in the world)
----------------------------	---

#### 2. Hazard(s) identification

##### Classification of the substance or mixture

**OSHA Regulatory Status** This Product is Hazardous under the OSHA Hazard Communication Standard.

**Physical hazards** Not Classified

**Health hazards** Repr. 1B - H360

**Physicochemical** Vapors are heavier than air and may travel along the floor and accumulate in the bottom of containers. Gas or vapor displaces oxygen available for breathing (asphyxiant).

##### Label elements

##### Pictogram



**Signal word** Danger

## SPR - HEAVY DUTY FLUX REMOVER - SUPRCLEAN, AEROSOL

<b>Hazard statements</b>	H360 May damage fertility or the unborn child.
<b>Precautionary statements</b>	P210 Keep away from heat, sparks, open flames and hot surfaces. No smoking. P211 Do not spray on an open flame or other ignition source. P251 Pressurized container: Do not pierce or burn, even after use P261 Avoid breathing vapor/ spray. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P314 Get medical advice/ attention if you feel unwell. P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C /122°F. P501 Dispose of contents/ container in accordance with national regulations.
<b>Supplemental label information</b>	Safety data sheet available on request. For use in industrial installations only.
<b>Contains</b>	METHANOL

### Other hazards

Harmful if inhaled

### 3. Composition/information on ingredients

#### Mixtures

<b>trans-1,2-DICHLOROETHYLENE</b> CAS number: 156-60-5	<b>30-60%</b>
<b>Classification</b> Flam. Liq. 2 - H225 Acute Tox. 4 - H332 Not relevant.	
<b>HFC-134a Tetrafluoroethane</b> CAS number: 811-97-2	<b>10-30%</b>
<b>Classification</b> Press. Gas, Liquefied - H280	
<b>1,1,1,2,2,3,4,5,5,5-decafluoropentane</b> CAS number: 138495-42-8	<b>10-30%</b>
<b>Classification</b> Not relevant.	
<b>ETHANOL</b> CAS number: 64-17-5	<b>1-5%</b>
<b>Classification</b> Flam. Liq. 2 - H225	

**SPR - HEAVY DUTY FLUX REMOVER - SUPRCLEAN, AEROSOL**

<b>METHANOL</b>	<b>&lt;1%</b>
CAS number: 67-56-1	
<b>Classification</b>	
Flam. Liq. 2 - H225	
Acute Tox. 3 - H301	
Acute Tox. 3 - H311	
Acute Tox. 3 - H331	
Eye Irrit. 2A - H319	
Repr. 1B - H360	
STOT SE 1 - H370	
<b>ISOBUTYL METHYL KETONE</b>	<b>&lt;1%</b>
CAS number: 108-10-1	
<b>Classification</b>	
Flam. Liq. 2 - H225	
Acute Tox. 4 - H332	
Eye Irrit. 2A - H319	
STOT SE 3 - H335	
<b>ETHYL ACETATE</b>	<b>&lt;1%</b>
CAS number: 141-78-6	
<b>Classification</b>	
Flam. Liq. 2 - H225	
Eye Irrit. 2A - H319	
STOT SE 3 - H336	

The full text for all hazard statements is displayed in Section 16.

**Composition comments** TSCA: The ingredients of this product are on the TSCA Inventory. The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of CFR 1900.1200

**Ingredient notes** Denaturants in Ethanol include Methanol, CAS# 67-56-1; MIBK, CAS# 108-10-1 and Ethyl acetate, CAS# 141-78-6

**Composition****4. First-aid measures****Description of first aid measures**

**General information** If in doubt, get medical attention promptly. Show this Safety Data Sheet to the medical personnel.

**Inhalation** Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Get medical attention. Place unconscious person on their side in the recovery position and ensure breathing can take place.

**Ingestion** Rinse mouth thoroughly with water. Get medical advice/attention if you feel unwell. Do not induce vomiting unless under the direction of medical personnel.

## SPR - HEAVY DUTY FLUX REMOVER - SUPRCLEAN, AEROSOL

<b>Skin Contact</b>	Rinse with water.
<b>Eye contact</b>	Remove any contact lenses and open eyelids wide apart. Rinse with water. Get medical attention if any discomfort continues.
<b>Protection of first aiders</b>	First aid personnel should wear appropriate protective equipment during any rescue.

### Most important symptoms and effects, both acute and delayed

<b>General information</b>	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
<b>Inhalation</b>	A single exposure may cause the following adverse effects: Headache. Exhaustion and weakness.
<b>Ingestion</b>	No specific symptoms known.
<b>Skin contact</b>	No specific symptoms known.
<b>Eye contact</b>	No specific symptoms known. May be slightly irritating to eyes.

### Indication of immediate medical attention and special treatment needed

<b>Notes for the doctor</b>	Treat symptomatically.
-----------------------------	------------------------

## 5. Fire-fighting measures

### Extinguishing media

<b>Suitable extinguishing media</b>	The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.

### Special hazards arising from the substance or mixture

<b>Specific hazards</b>	Containers can burst violently or explode when heated, due to excessive pressure build-up. This product is toxic.
<b>Hazardous combustion products</b>	Thermal decomposition or combustion products may include the following substances: Toxic gases or vapors.

### Advice for firefighters

<b>Protective actions during firefighting</b>	Avoid breathing fire gases or vapors. Evacuate area. Keep upwind to avoid inhalation of gases, vapors, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapors and protect men stopping the leak. Avoid discharge to the aquatic environment. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.
<b>Special protective equipment for firefighters</b>	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Standard Firefighter's clothing including helmets, protective boots and gloves will provide a basic level of protection for chemical incidents.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

## SPR - HEAVY DUTY FLUX REMOVER - SUPRCLEAN, AEROSOL

**Personal precautions** Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be taken without appropriate training or involving any personal risk. Do not touch or walk into spilled material. Avoid inhalation of vapors and spray/mists. Use suitable respiratory protection if ventilation is inadequate.

### Environmental precautions

**Environmental precautions** Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic environment.

### Methods and material for containment and cleaning up

**Methods for cleaning up** Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Provide adequate ventilation. Small Spillages: Collect spillage. Large Spillages: Absorb spillage with non-combustible, absorbent material. The contaminated absorbent may pose the same hazard as the spilled material. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dangerous for the environment. Do not empty into drains. For waste disposal, see Section 13.

**Reference to other sections** For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

## 7. Handling and storage

### Precautions for safe handling

**Usage precautions** Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimize spills. Keep container tightly sealed when not in use. Avoid the formation of mists. Avoid discharge to the aquatic environment. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers.

**Advice on general occupational hygiene** Wash promptly if skin becomes contaminated. Take off contaminated clothing and wash before reuse. Wash contaminated clothing before reuse.

### Conditions for safe storage, including any incompatibilities

**Storage precautions** Store away from incompatible materials (see Section 10). Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage.

**Storage class** Miscellaneous hazardous material storage.

### Specific end uses(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.

## 8. Exposure controls/Personal protection

### Control parameters

#### Occupational exposure limits

##### **trans-1,2-DICHLOROETHYLENE**

Long-term exposure limit (8-hour TWA): ACGIH 200 ppm 793 mg/m<sup>3</sup>

##### **HFC-134a Tetrafluoroethane**

Long-term exposure limit (8-hour TWA): OES 4240 mg/m<sup>3</sup>

##### **1,1,1,2,2,3,4,5,5,5-decafluoropentane**

## SPR - HEAVY DUTY FLUX REMOVER - SUPRCLEAN, AEROSOL

No information available that would effect occupational exposure limit values.

### ETHANOL

Short-term exposure limit (15-minute): ACGIH 1000 ppm 1880 mg/m<sup>3</sup>

A3

Long-term exposure limit (8-hour TWA): OSHA 1000 ppm 1900 mg/m<sup>3</sup>

### METHANOL

Long-term exposure limit (8-hour TWA): ACGIH 200 ppm 262 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): ACGIH 250 ppm 328 mg/m<sup>3</sup>

Sk

Long-term exposure limit (8-hour TWA): OSHA 200 ppm 260 mg/m<sup>3</sup>

### ISOBUTYL METHYL KETONE

Long-term exposure limit (8-hour TWA): ACGIH 20 ppm 82 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): ACGIH 75 ppm 307 mg/m<sup>3</sup>

A3

Long-term exposure limit (8-hour TWA): OSHA 100 ppm 410 mg/m<sup>3</sup>

### ETHYL ACETATE

Long-term exposure limit (8-hour TWA): ACGIH 400 ppm 1440 mg/m<sup>3</sup>

Long-term exposure limit (8-hour TWA): OSHA 400 ppm 1400 mg/m<sup>3</sup>

ACGIH = American Conference of Governmental Industrial Hygienists.

A3 = Confirmed Animal Carcinogen with Unknown Relevance to Humans.

OSHA = Occupational Safety and Health Administration.

Sk = Danger of cutaneous absorption.

### Additional Occupational Exposure Limits

#### ETHANOL (CAS: 64-17-5)

**Ingredient comments** WEL = Workplace Exposure Limits

#### METHANOL (CAS: 67-56-1)

**Biological limit values** 15 mg/l

### Exposure controls

#### Protective equipment



#### Appropriate engineering controls

Provide adequate general and local exhaust ventilation. Ensure the ventilation system is regularly maintained and tested. Good general ventilation should be adequate to control worker exposure to airborne contaminants. Observe any occupational exposure limits for the product or ingredients.

#### Eye/face protection

Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses.

#### Hand protection

No specific hand protection recommended. Avoid contact with skin.

#### Other skin and body protection

Wear appropriate clothing to prevent repeated or prolonged skin contact.

## SPR - HEAVY DUTY FLUX REMOVER - SUPRCLEAN, AEROSOL

<b>Hygiene measures</b>	Wash after use and before eating, smoking and using the toilet. Do not eat, drink or smoke when using this product.
<b>Respiratory protection</b>	Ensure all respiratory protective equipment is suitable for its intended use and is NIOSH approved. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with OSHA 1910.134. Full face mask respirators with replaceable filter cartridges should comply with OSHA 1910.134. Half mask and quarter mask respirators with replaceable filter cartridges should comply with OSHA 1910.134.
<b>Environmental exposure controls</b>	Keep container tightly sealed when not in use. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### 9. Physical and chemical properties

#### Information on basic physical and chemical properties

<b>Appearance</b>	Clear liquid.
<b>Color</b>	Colorless.
<b>Odor</b>	Slight. Ether.
<b>Odor threshold</b>	No information available.
<b>pH</b>	No information available.
<b>Melting point</b>	No information available.
<b>Initial boiling point and range</b>	41°C/106°F @ 101.3 kPa
<b>Flash point</b>	The product is not flammable.
<b>Evaporation rate</b>	No information available.
<b>Evaporation factor</b>	No information available.
<b>Flammability (solid, gas)</b>	Not applicable.
<b>Upper/lower flammability or explosive limits</b>	Upper flammable/explosive limit: 14.4 %(V) Lower flammable/explosive limit: 5.0 %(V)
<b>Other flammability</b>	The product is not flammable.
<b>Vapor pressure</b>	37.9 kPa @ 20°C
<b>Vapor density</b>	3.4
<b>Relative density</b>	1.26 g/cc
<b>Bulk density</b>	No information available.
<b>Solubility(ies)</b>	0.3 % water @ 20°C
<b>Partition coefficient</b>	No information available.
<b>Auto-ignition temperature</b>	No information available.
<b>Decomposition Temperature</b>	No information available.
<b>Viscosity</b>	0.48 cP @ 20°C
<b>Explosive properties</b>	No information available.
<b>Oxidizing properties</b>	Not known.

## SPR - HEAVY DUTY FLUX REMOVER - SUPRCLEAN, AEROSOL

<b>Refractive index</b>	No information available.
<b>Particle size</b>	No information available.
<b>Molecular weight</b>	Not applicable.
<b>Volatility</b>	100%
<b>Saturation concentration</b>	No information available.
<b>Critical temperature</b>	No information available.
<b>Volatile organic compound</b>	This product contains a maximum VOC content of 1080 g/l.
<b>Flammability</b>	The product is not flammable.

### 10. Stability and reactivity

<b>Reactivity</b>	See the other subsections of this section for further details.
<b>Stability</b>	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.
<b>Possibility of hazardous reactions</b>	No potentially hazardous reactions known.
<b>Conditions to avoid</b>	There are no known conditions that are likely to result in a hazardous situation.
<b>Materials to avoid</b>	No specific material or group of materials is likely to react with the product to produce a hazardous situation.
<b>Hazardous decomposition products</b>	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Toxic gases or vapors.

### 11. Toxicological information

#### Information on toxicological effects

##### Acute toxicity - oral

<b>Notes (oral LD<sub>50</sub>)</b>	Based on available data the classification criteria are not met.
<b>ATE oral (mg/kg)</b>	62,912.87

##### Acute toxicity - dermal

<b>Notes (dermal LD<sub>50</sub>)</b>	Based on available data the classification criteria are not met.
<b>ATE dermal (mg/kg)</b>	188,738.6

##### Acute toxicity - inhalation

<b>Notes (inhalation LC<sub>50</sub>)</b>	Acute Tox. 4 - H332 Harmful if inhaled.
<b>ATE inhalation (vapours mg/l)</b>	21.41
<b>ATE inhalation (dusts/mists mg/l)</b>	314.56

##### Skin corrosion/irritation

<b>Animal data</b>	Based on available data the classification criteria are not met.
--------------------	--

##### Serious eye damage/irritation

<b>Serious eye damage/irritation</b>	Based on available data the classification criteria are not met.
--------------------------------------	--

##### Respiratory sensitization

## SPR - HEAVY DUTY FLUX REMOVER - SUPRCLEAN, AEROSOL

<b>Respiratory sensitization</b>	Based on available data the classification criteria are not met.
<b><u>Skin sensitization</u></b>	
<b>Skin sensitization</b>	Based on available data the classification criteria are not met.
<b><u>Germ cell mutagenicity</u></b>	
<b>Genotoxicity - in vitro</b>	Based on available data the classification criteria are not met.
<b><u>Carcinogenicity</u></b>	
<b>Carcinogenicity</b>	Based on available data the classification criteria are not met.
<b>IARC carcinogenicity</b>	Contains a substance/a group of substances which may cause cancer. IARC Group 1 Carcinogenic to humans.
<b><u>Reproductive toxicity</u></b>	
<b>Reproductive toxicity - fertility</b>	Based on available data the classification criteria are not met.
<b>Reproductive toxicity - development</b>	Based on available data the classification criteria are not met.
<b><u>Specific target organ toxicity - single exposure</u></b>	
<b>STOT - single exposure</b>	Not classified as a specific target organ toxicant after a single exposure.
<b><u>Specific target organ toxicity - repeated exposure</u></b>	
<b>STOT - repeated exposure</b>	Not classified as a specific target organ toxicant after repeated exposure.
<b><u>Aspiration hazard</u></b>	
<b>Aspiration hazard</b>	Based on available data the classification criteria are not met.
<b>General information</b>	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
<b>Inhalation</b>	A single exposure may cause the following adverse effects: Headache. Exhaustion and weakness.
<b>Ingestion</b>	No specific symptoms known.
<b>Skin Contact</b>	No specific symptoms known.
<b>Eye contact</b>	No specific symptoms known.
<b>Route of exposure</b>	Ingestion Inhalation Skin and/or eye contact
<b>Target Organs</b>	No specific target organs known.
<b><u>Toxicological information on ingredients.</u></b>	

### trans-1,2-DICHLOROETHYLENE

<b>Other health effects</b>	There is no evidence that the product can cause cancer.
<b><u>Acute toxicity - inhalation</u></b>	
<b>ATE inhalation (vapours mg/l)</b>	11.0

### HFC-134a Tetrafluoroethane

<b>Other health effects</b>	There is no evidence that the product can cause cancer.
<b><u>Acute toxicity - inhalation</u></b>	

## SPR - HEAVY DUTY FLUX REMOVER - SUPRCLEAN, AEROSOL

**Acute toxicity inhalation** 567,000.0  
(LC<sub>50</sub> gases ppmV)

**Species** Rat

**ATE inhalation (gases** 567,000.0  
**ppm)**

**Inhalation** Vapors irritate the respiratory system. May cause coughing and difficulties in breathing.

**Ingestion** May cause stomach pain or vomiting. May cause nausea, headache, dizziness and intoxication.

**Skin Contact** May cause allergic contact eczema. Contact with liquid form may cause frostbite.

**Eye contact** May cause temporary eye irritation.

### 1,1,1,2,2,3,4,5,5,5-decafluoropentane

#### Acute toxicity - oral

**Acute toxicity oral (LD<sub>50</sub>** 5,000.0  
**mg/kg)**

**Species** Rat

**ATE oral (mg/kg)** 5,000.0

#### Acute toxicity - dermal

**Acute toxicity dermal (LD<sub>50</sub>** 5,000.0  
**mg/kg)**

**Species** Rat

**ATE dermal (mg/kg)** 5,000.0

#### Acute toxicity - inhalation

**Acute toxicity inhalation** 114.0  
(LC<sub>50</sub> vapours mg/l)

**Species** Rat

**ATE inhalation (vapours** 114.0  
**mg/l)**

#### Skin corrosion/irritation

**Animal data** Not irritating. Rabbit

**Human skin model test** Data lacking.

**Extreme pH** Not applicable. Not corrosive to skin.

#### Serious eye damage/irritation

**Serious eye** Not irritating. Rabbit  
**damage/irritation**

#### Respiratory sensitization

**Respiratory sensitization** Data lacking.

## SPR - HEAVY DUTY FLUX REMOVER - SUPRCLEAN, AEROSOL

### Skin sensitization

**Skin sensitization** Not sensitizing. - Guinea pig: Not sensitizing.

### Germ cell mutagenicity

**Genotoxicity - in vitro** This substance has no evidence of mutagenic properties.

**Genotoxicity - in vivo** This substance has no evidence of mutagenic properties.

### Carcinogenicity

**Carcinogenicity** Does not contain any substances known to be carcinogenic.

**IARC carcinogenicity** Not listed.

**NTP carcinogenicity** Not listed.

**OSHA Carcinogenicity** Not listed.

### Reproductive toxicity

**Reproductive toxicity - fertility** No evidence of reproductive toxicity in animal studies.

### **Skin Contact**

Skin irritation should not occur when used as recommended. May cause defatting of the skin but is not an irritant.

### **Eye contact**

May cause eye irritation.

### **Acute and chronic health hazards**

There is no evidence that the product can cause cancer.

## ETHANOL

### Acute toxicity - inhalation

**Acute toxicity inhalation (LC<sub>50</sub> vapours mg/l)** 20,000.0

**ATE inhalation (vapours mg/l)** 20,000.0

### Carcinogenicity

**IARC carcinogenicity** IARC Group 1 Carcinogenic to humans.

## METHANOL

### Acute toxicity - oral

**Notes (oral LD<sub>50</sub>)** Acute Tox. 3 - H301 Toxic if swallowed.

**ATE oral (mg/kg)** 100.0

### Acute toxicity - dermal

**Notes (dermal LD<sub>50</sub>)** Acute Tox. 3 - H311 Toxic in contact with skin.

**ATE dermal (mg/kg)** 300.0

### Acute toxicity - inhalation

**Notes (inhalation LC<sub>50</sub>)** Acute Tox. 3 - H331 Toxic if inhaled.

## SPR - HEAVY DUTY FLUX REMOVER - SUPRCLEAN, AEROSOL

<b>ATE inhalation (vapours mg/l)</b>	3.0
<b>ATE inhalation (dusts/mists mg/l)</b>	0.5
<b><u>Skin corrosion/irritation</u></b>	
<b>Animal data</b>	Based on available data the classification criteria are not met.
<b><u>Serious eye damage/irritation</u></b>	
<b>Serious eye damage/irritation</b>	Based on available data the classification criteria are not met.
<b><u>Respiratory sensitization</u></b>	
<b>Respiratory sensitization</b>	Based on available data the classification criteria are not met.
<b><u>Skin sensitization</u></b>	
<b>Skin sensitization</b>	Based on available data the classification criteria are not met.
<b><u>Germ cell mutagenicity</u></b>	
<b>Genotoxicity - in vitro</b>	Based on available data the classification criteria are not met.
<b><u>Carcinogenicity</u></b>	
<b>Carcinogenicity</b>	Based on available data the classification criteria are not met.
<b>IARC carcinogenicity</b>	None of the ingredients are listed or exempt.
<b><u>Reproductive toxicity</u></b>	
<b>Reproductive toxicity - fertility</b>	Based on available data the classification criteria are not met.
<b>Reproductive toxicity - development</b>	Based on available data the classification criteria are not met.
<b><u>Specific target organ toxicity - single exposure</u></b>	
<b>STOT - single exposure</b>	STOT SE 1 - H370 Causes damage to organs .
<b><u>Specific target organ toxicity - repeated exposure</u></b>	
<b>STOT - repeated exposure</b>	Not classified as a specific target organ toxicant after repeated exposure.
<b><u>Aspiration hazard</u></b>	
<b>Aspiration hazard</b>	Based on available data the classification criteria are not met.
<b><u>General information</u></b>	
<b>General information</b>	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
<b>Inhalation</b>	A single exposure may cause the following adverse effects: Drowsiness, dizziness, disorientation, vertigo. Unconsciousness. High concentrations may be fatal.
<b>Ingestion</b>	May cause stomach pain or vomiting. May cause severe internal injury.
<b>Skin Contact</b>	A single exposure may cause the following adverse effects: Pain.
<b>Eye contact</b>	No specific symptoms known.
<b>Route of exposure</b>	Ingestion Inhalation Skin and/or eye contact

## SPR - HEAVY DUTY FLUX REMOVER - SUPRCLEAN, AEROSOL

**Target Organs** No specific target organs known.

### ISOBUTYL METHYL KETONE

#### Acute toxicity - inhalation

**ATE inhalation (vapours mg/l)** 11.0

**ATE inhalation (dusts/mists mg/l)** 1.5

#### Carcinogenicity

**IARC carcinogenicity** IARC Group 2B Possibly carcinogenic to humans.

## 12. Ecological information

### Ecological information on ingredients.

#### trans-1,2-DICHLOROETHYLENE

**Ecotoxicity** Low acute toxicity to aquatic organisms.

#### 1,1,1,2,2,3,4,5,5,5-decafluoropentane

**Ecotoxicity** It is unlikely that the substance will dissolve in water in amounts big enough to have a toxic effect on fish and daphnies.

#### METHANOL

**Ecotoxicity** Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.

**Toxicity** Aquatic Chronic 3 - H412 Harmful to aquatic life with long lasting effects.

### Ecological information on ingredients.

#### trans-1,2-DICHLOROETHYLENE

#### Acute aquatic toxicity

**Acute toxicity - fish** LC<sub>50</sub>, 96 hours: 1350 mg/l, Fish

**Acute toxicity - aquatic invertebrates** EC<sub>50</sub>, 48 hours: 220 mg/l, Daphnia magna

#### HFC-134a Tetrafluoroethane

#### Acute aquatic toxicity

**Acute toxicity - fish** LC<sub>50</sub>, 96 hours: 450 mg/l, Fish

**Acute toxicity - aquatic invertebrates** EC<sub>50</sub>, 48 hours: 980 mg/l, Daphnia magna

#### 1,1,1,2,2,3,4,5,5,5-decafluoropentane

#### Acute aquatic toxicity

**Acute toxicity - fish** LC<sub>50</sub>, 96 hours: 13.9 mg/l, Oncorhynchus mykiss (Rainbow trout)

## SPR - HEAVY DUTY FLUX REMOVER - SUPRCLEAN, AEROSOL

**Acute toxicity - aquatic invertebrates** LC<sub>50</sub>, 48 hours: 11.7 mg/l, Daphnia magna

**Acute toxicity - aquatic plants** EC<sub>50</sub>, 72 hours: >120 mg/l, Algae

### ETHANOL

#### Acute aquatic toxicity

**Acute toxicity - fish** LC<sub>50</sub>, 96 hours: >10,000 mg/l, Fish

**Acute toxicity - aquatic invertebrates** EC<sub>50</sub>, 48 hours: 7,800 mg/l, Daphnia magna

**Acute toxicity - aquatic plants** , 96 hours: 1000 mg/l, Freshwater algae

### METHANOL

**Toxicity** Based on available data the classification criteria are not met.

#### Acute aquatic toxicity

**Acute toxicity - fish** LC<sub>50</sub>, 96 hours: >100 mg/l, Pimephales promelas (Fat-head Minnow)

**Acute toxicity - aquatic invertebrates** EC<sub>50</sub>, 48 hours: >10000 mg/l, Daphnia magna

#### Persistence and degradability

**Persistence and degradability** The degradability of the product is not known.

#### Ecological information on ingredients.

### ETHANOL

**Persistence and degradability** The product is expected to be biodegradable.

### METHANOL

**Persistence and degradability** The degradability of the product is not known.

#### Bioaccumulative potential

**Bio-Accumulative Potential** No data available on bioaccumulation.

**Partition coefficient** No information available.

#### Ecological information on ingredients.

### trans-1,2-DICHLOROETHYLENE

**Bio-Accumulative Potential** Bioaccumulation is unlikely to be significant because of the low water-solubility of this product.

### HFC-134a Tetrafluoroethane

**Partition coefficient** Pow: 1.06

### 1,1,1,2,2,3,4,5,5,5-decafluoropentane

## SPR - HEAVY DUTY FLUX REMOVER - SUPRCLEAN, AEROSOL

**Bio-Accumulative Potential** Bioaccumulation is unlikely to be significant because of the low water-solubility of this product.

**Partition coefficient** Pow: 2.7

### ETHANOL

**Bio-Accumulative Potential** Bioaccumulation is unlikely.

**Partition coefficient** No information available.

### METHANOL

**Bio-Accumulative Potential** No data available on bioaccumulation.

**Partition coefficient** : -0.77

### Mobility in soil

**Mobility** No data available.

### Ecological information on ingredients.

#### trans-1,2-DICHLOROETHYLENE

**Mobility** The product has poor water-solubility.

### ETHANOL

**Mobility** The product is soluble in water.

### METHANOL

**Mobility** No data available.

### Other adverse effects

**Other adverse effects** None known.

### Ecological information on ingredients.

### METHANOL

**Other adverse effects** None known.

## 13. Disposal considerations

### Waste treatment methods

#### **General information**

The generation of waste should be minimized or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.

#### **Disposal methods**

Do not empty into drains. Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labeled with their contents. Incineration or landfill should only be considered when recycling is not feasible.

## SPR - HEAVY DUTY FLUX REMOVER - SUPRCLEAN, AEROSOL

### 14. Transport information

#### UN Number

UN No. (IMDG) 1950

UN No. (ICAO) 1950

#### UN proper shipping name

Proper shipping name (TDG) LIMITED QUANTITY

Proper shipping name (IMDG) UN1950 AEROSOLS, NON-FLAMMABLE, 2.2, LIMITED QUANTITY

Proper shipping name (ICAO) UN1950 AEROSOLS, NON-FLAMMABLE, 2.2, LIMITED QUANTITY

Proper shipping name (DOT) LIMITED QUANTITY

#### Transport hazard class(es)

IMDG Class 2.2 LIMITED QUANTITY

ICAO class/division 2.2 LIMITED QUANTITY

ICAO subsidiary risk N/A

#### Packing group

Packing group (International) No information required.

TDG Packing Group N/A

IMDG packing group N/A

ICAO packing group N/A

DOT packing group N/A

#### Environmental hazards

Environmentally Hazardous Substance

No.

#### Special precautions for user

Not applicable. No information required.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable. No information required.

Annex II of MARPOL 73/78

and the IBC Code

### 15. Regulatory information

#### US Federal Regulations

##### **SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities**

None of the ingredients are listed or exempt.

##### **CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)**

The following ingredients are listed or exempt:

*ISOBUTYL METHYL KETONE*

Final CERCLA RQ: 5000(2270) pounds (Kilograms)

*ETHYL ACETATE*

Final CERCLA RQ: 5000(2270) pounds (Kilograms)

## SPR - HEAVY DUTY FLUX REMOVER - SUPRCLEAN, AEROSOL

### *METHANOL*

Final CERCLA RQ: 5000(2270) pounds (Kilograms)

### *trans-1,2-DICHLOROETHYLENE*

Final CERCLA RQ: 1000(454) pounds (Kilograms)

### **SARA Extremely Hazardous Substances EPCRA Reportable Quantities**

None of the ingredients are listed or exempt.

### **SARA 313 Emission Reporting**

The following ingredients are listed or exempt:

#### *ISOBUTYL METHYL KETONE*

1.0 %

#### *METHANOL*

1.0 %

### **CAA Accidental Release Prevention**

None of the ingredients are listed or exempt.

### **FDA - Essential Chemical**

None of the ingredients are listed or exempt.

### **FDA - Precursor Chemical**

None of the ingredients are listed or exempt.

### **SARA (311/312) Hazard Categories**

None of the ingredients are listed or exempt.

### **OSHA Highly Hazardous Chemicals**

None of the ingredients are listed or exempt.

### **US State Regulations**

#### **California Proposition 65 Carcinogens and Reproductive Toxins**

The following ingredients are listed or exempt:

##### *ISOBUTYL METHYL KETONE*

Carcinogen and developmental toxin.

##### *METHANOL*

Developmental toxin.

#### **California Air Toxics "Hot Spots" (A-I)**

The following ingredients are listed or exempt:

##### *ISOBUTYL METHYL KETONE*

##### *METHANOL*

#### **California Air Toxics "Hot Spots" (A-II)**

None of the ingredients are listed or exempt.

#### **California Directors List of Hazardous Substances**

The following ingredients are listed or exempt:

##### *ISOBUTYL METHYL KETONE*

##### *ETHYL ACETATE*

##### *ETHANOL*

##### *METHANOL*

**SPR - HEAVY DUTY FLUX REMOVER - SUPRCLEAN, AEROSOL**

*trans-1,2-DICHLOROETHYLENE*

**Massachusetts "Right To Know" List**

The following ingredients are listed or exempt:

*ISOBUTYL METHYL KETONE*

*ETHYL ACETATE*

*ETHANOL*

*METHANOL*

*trans-1,2-DICHLOROETHYLENE*

**Rhode Island "Right To Know" List**

The following ingredients are listed or exempt:

*ISOBUTYL METHYL KETONE*

*ETHYL ACETATE*

*ETHANOL*

*METHANOL*

**Minnesota "Right To Know" List**

The following ingredients are listed or exempt:

*ISOBUTYL METHYL KETONE*

*ETHYL ACETATE*

*ETHANOL*

*METHANOL*

**New Jersey "Right To Know" List**

The following ingredients are listed or exempt:

*ISOBUTYL METHYL KETONE*

*ETHYL ACETATE*

*ETHANOL*

*METHANOL*

**Pennsylvania "Right To Know" List**

The following ingredients are listed or exempt:

*ISOBUTYL METHYL KETONE*

*ETHYL ACETATE*

*ETHANOL*

*METHANOL*

*trans-1,2-DICHLOROETHYLENE*

**Inventories****Canada - DSL/NDSL**

DSL

*ETHANOL*

*trans-1,2-DICHLOROETHYLENE*

*1,1,1,2,2,3,4,5,5,5-decafluoropentane*

## SPR - HEAVY DUTY FLUX REMOVER - SUPRCLEAN, AEROSOL

### US - TSCA

Present.

### US - TSCA 12(b) Export Notification

The following ingredients are listed or exempt:

*trans-1,2-DICHLOROETHYLENE*

*1,1,1,2,2,3,4,5,5,5-decafluoropentane*

### 16. Other information

<b>Classification abbreviations and acronyms</b>	Acute Tox. = Acute toxicity Aquatic Chronic = Hazardous to the aquatic environment (chronic)
<b>Training advice</b>	Only trained personnel should use this material.
<b>Revision date</b>	1/30/2019
<b>Revision</b>	55
<b>Supersedes date</b>	1/30/2019
<b>SDS No.</b>	AEROSOL - SPR
<b>Hazard statements in full</b>	H225 Highly flammable liquid and vapor. H280 Contains gas under pressure; may explode if heated. H301 Toxic if swallowed. H311 Toxic in contact with skin. H319 Causes serious eye irritation. H331 Toxic if inhaled. H332 Harmful if inhaled. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H360 May damage fertility or the unborn child. H370 Causes damage to organs .

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.